

Swedish Technical Approval

2681/93

and decision on production control, in accordance with chapter 8, 22 and 23 §§ Planning- and Building Act (2010:900), PBL

VILPE, Drainage vent pipe

Holder

SK Tuote Oy, Kauppatie 9, FIN-65610 Mustasaari, Finland.

Organisation number/VAT number: FI05581721

Tel: +358 201 233 200, fax: +358 201 233 218

E-mail: vaasa@sktuote.fi, Internet: www.sktuote.fi

Product

Drainage vent pipe manufactured from polypropene (PP) in dimension $\varnothing 110\text{mm}$ for roof installation. The drainage vent pipe is connected to the drainage installation with dimension $\varnothing 75\text{mm}$ or $\varnothing 110\text{mm}$ with flexible piping. The drainage vent pipes are used in conjunction with a roof penetration kit manufactured primarily from polypropene with sealings made of EPDM.

Intended use

Roof hood for connecting to pipe for venting wastewater installations.

Trade name

VILPE drainage vent pipe.

Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this certificate, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Moisture safety	6:53, first paragraph
Waste water installations	6:641, 2:nd paragraph last sentence
Design	6:644, first sentence

Associated documents

VILPE Installation, operating and maintenance instructions, marked T80012 D.

Control

The factory production control (FPC) is monitored by an independent inspection body. Control agreement: 2214-21-05-RTE, Inspection body: VTT.

When the building proprietor performs inspection at the building site, he shall check the markings to ensure that the correct products have been supplied and that they are used in accordance with the requirements stated in the approval and the associated documents. He must also check that the product is accompanied by a manufacturing assurance, which certifies that the product has been manufactured in accordance with the documents on which this approval is based.



Manufacturer

Production control includes the following site:
SK Tuote Oy, Kauppatie 9, 65610 Mustasaari, Finland.

Marking

The products are to be marked at the factory. The marking consists of a text on every product/packaging supplied and includes:

Vent hood is marked with:

Approval holder
Boverket's registered trademark
Approval number
Dimension
Article number
Consecutive manufacture date of production

SK Tuote Oy, Finland
†
2681/93
dimension
number
date

Packaging is also marked with:

Certification body and accreditation number
Inspection body

SP Certification 1002
VTT

Basis for approval

Report 93B14106 from SP Technical Research Institute of Sweden.
Report RTE52559-96, RTE 56298-95 and VTT-S-10490-10 from VTT in Finland

Comments

This approval supersedes the previous approval with the same number dated 28th October 2011, valid through 27th October 2016.

Period of validity

This approval is valid until 08 February 2022.

The validity of this approval expires when the characteristics included in this approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

SP Technical Research Institute of Sweden Certification

Ingvar Pettersson

Stefan Coric